SOLID-STATE ELECTRONICS

AN INTERNATIONAL JOURNAL

List of Contents and Author Index
Volume 42, 1998

PERGAMON

SOLID-STATE ELECTRONICS

FOUNDING EDITOR

Dr W. Crawford Dunlap

EDITORS

Professor Y. Arakawa
Institute of Industrial Science, University of Tokyo, 7-22-1 Roppongi, Minato-ku, Tokyo 106, Japan

Professor C. Hunt
Department of Electrical and Computer Engineering, University of California, One Shields Avenue, Davis, CA 95616-5294, U.S.A.

Professor F. M. Klaassen
Philips Research Laboratories, Prof. Holstlaan 4, 5656 AA Eindhoven, The Netherlands

Professor S. J. Pearton
Department of Materials Science and Engineering, University of Florida, Gainesville, FL 32611, U.S.A.

HONORARY EDITORIAL ADVISORY BOARD

A. G. Baca, *Albuquerque, NM*
G. Baccarani, *Bologna*
B. J. Baliga, *Raleigh, NC*
E. R. Brown, *Los Angeles, CA*
C. Bulucea, *Santa Clara, CA*
T. Y. Chiu, *Murray Hill, NJ*
L. F. Eastman, *Ithaca, NY*
R. H. Eklund, *Dallas, TX*
D. K. Ferry, *Tempe, AZ*
J. G. Fossum, *Gainesville, FL*
G. Ghibaudo, *Grenoble*
G. I. Haddad, *Ann Arbor, MI*
K. Heime, *Aachen*
H. C. Nathanson, *Pittsburgh, PA*
A. Nussbaum, *Minneapolis, MN*
R. F. Pierret, *W. Lafayette, IN*
G. J. Rees, *Sheffield*
F. Ren, *Murray Hill, NJ*
D. J. Roulston, *Waterloo, Ont.*
C. A. T. Salama, *Toronto, Ont.*
M. Shur, *Troy, NY*
T. Sugano, *Tokyo*
R. Van Overstraeten, *Leuven*
M. Willander, *Göteborg*
C. S. Wu, *Torrance, CA*
C.-Y. Wu, *Hsinchu, R.O.C.*

Publishing Office

Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.
(*Tel.* Oxford (01865) 843000; *Fax* (01865) 843010).

Author Service Department

For queries relating to the general submission of articles (including electronic text and artwork) and the status of accepted manuscripts, please contact the Author Service Department: e-mail: authors@elsevier.co.uk; fax: +44 (0) 1865 843905; tel.: +44 (0) 1865 843900.

Frequency: Published monthly

Subscription Rates

Annual Institutional Subscription Rates 1998. Volume 42 (12 issues): Europe, The CIS and Japan 3192 Dutch Guilders. All other countries US$1835. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Dutch Guilder prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice. Any enquiry relating to subscriptions should be sent to: **The Americas**: Elsevier Science Customer Support Department, P.O. Box 945, New York, NY 10010, U.S.A. [Tel: (+1) 212-633-3730/1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com]. **Japan**: Elsevier Science Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan [Tel: (+3) 5561-5033. Fax: (+3) 5561-5047. E-mail: info@elsevier.co.jp]. **Asia Pacific (*excluding Japan*)**: Elsevier Science (Singapore) Pte Ltd, No. 1 Temasek Avenue, 17-01 Millenia Tower, Singapore 039192 [Tel: (+65) 434-3727. Fax: (+65) 337-2230. E-mail: asianfo@elsevier.com.sg]. **Rest of the World**: Elsevier Science Customer Service Department, P.O. Box 211, 1001 AE Amsterdam, The Netherlands [Tel: (+31) 20-485-3757. Fax: (+31) 20-485-3432. E-mail: nlinfo-f@elsevier.nl].

Copyright © 1998 Elsevier Science Ltd

Periodicals postage paid at Rahway, NJ and additional entry points. *Solid-State Electronics* (ISSN 0038-1101) is published monthly, January to December in one volume, by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. The annual subscription in the U.S.A. is $1835.00. *Solid-State Electronics* is distributed by Mercury Airfreight International Ltd, 10 Camptown Road, Irvington, New Jersey 07111-1105. Postmaster: please send address corrections to *Solid-State Electronics*, c/o Elsevier Science Regional Sales Office, Customer Support Department, 655 Avenue of the Americas, New York, NY 10010.

LIST OF CONTENTS

NUMBER 1

Invited paper
A. MANDELIS Laser infrared photothermal radiometry of semiconductors: principles and applications to solid state electronics 1

N. RAMUNGUL, V. KHEMKA, R. TYAGI, T. P. CHOW, M. GHEZZO, P. G. NEUDECK, J. KRETCHMER, W. HENNESSY and D. M. BROWN: Comparison of aluminum- and boron-implanted vertical 6H-SiC p^+ n junction diodes 17

M. A. EBEOĞLU, F. TEMURTAS and Z. Z. ÖZTÜRK: Ag/*n*-GaAs Schottky MIS diodes with surface insulating layers prepared using $(NH_4)_2S$ solutions without water 23

C. L. WU: Comparison of real-space transfer phenomena in GaAs field-effect transistors 29

Y.-S. CHEN and S.-L. JANG: Modeling the asymmetric drain currents of hot-carrier stressed *p*MOSFETs operated in forward- and reverse-mode 35

B. SZELAG, M. DUTOIT and F. BALESTRA: Hot carrier effects in deep submicron bulk silicon MOSFETs 43

V. I. KOL'DYAEV, G. VAN DEN BOSCH and L. DEFERM: A comprehensive closed-form model for the quantized accumulation layer in MOS structures 49

Y. ZHAO, M. J. JURKOVIC and W. I. WANG: Enhancement-mode InAs *n*-channel high electron mobility transistors using beryllium sheet doping 57

Y. K. SENG: A proposed CMOS buffer for low-voltage environments 63

M. NOGOME, K. KUNIHIRO and Y. OHNO: Rate-limiting process in drain lag of HJFETs on semi-insulating substrates 73

J. MATEOS, T. GONZÁLEZ, D. PARDO, P. TADYSZAK, F. DANNEVILLE and A. CAPPY: Noise analysis of 0.1 μm gate MESFETs and HEMTs 79

W. L. LI, Y. K. SU, S. J. CHANG, C. S. CHANG and C. Y. TSAI: Design of AlGaInP visible lasers with a low vertical divergence angle 87

J. M. SHANNON, S. P. LAU, A. D. ANNIS and B. J. SEALY: Programmable devices based on current induced conductivity in amorphous silicon alloys 91

S. CHOUTEAU, B. CABON and J. BOUSSEY: Integrated microwave photoswitch on silicon 101

M. ITSUMI, H. AKIYA, M. TOMITA, T. UEKI and M. YAMAWAKI: Origin of thin-oxide defects affecting yield and reliability of floating-gate devices and flash memories 107

B. C. LYE, P. A. HOUSTON, C. C. BUTTON and J. P. R. DAVID: Electrical and optical characterisation of heavily doped GaAs:C bases of heterojunction bipolar transistors ... 115

I. V. LEBEDEV, A. S. SHNITNIKOV, I. V. DYAKOV and N. A. BORISOVA: Impedance properties of high-frequency pin diodes 121

T. MATSUDA Y. HONDA and T. OHZONE: Direct-current and alternating-current electroluminescence of MOS capacitors with Si-implanted SiO_2 129

R. SCHWARZ, T. STUDNITZKY, F. GOESMANN and R. SCHMID-FETZER: Ohmic contacts to *p*-ZnSe using Pd metallization 139

L. A. KOSYACHENKO, V. M. SKLYARCHUK and YE. F. SKLYARCHUK: Electrical and photoelectric properties of Au–SiC Schottky barrier diodes 145

T. T. MNATSAKANOV, D. SCHRODER and A. SCHLOGL: Effect of high injection level phenomena on the feasibility of diffusive approximation in semiconductor device modeling 153

P. SAMANTA and C. K. SARKAR: A new approach to investigate gate oxide degradation of MOS capacitors during Fowler–Nordheim stress at low electron fluence 165

Notes

W. WONG, A. ICE and J. J. LIOU: An empirical model for the characterization of hot-carrier induced MOS device degradation 173

K.-J. GAN, Y.-K. SU and RUEY-LUE WANG: Simulation and analysis of negative differential resistance devices and circuits by load-line method and PSpice 176

K. DING, X. ZHANG and R. ZHAO: Improved formulae for determining bulk generation lifetime and surface generation velocity 181

C.-M. PARK, J.-H. JEON and M.-K. HAN: A novel polycrystalline silicon thin film transistor structure for improving hydrogenation effects 185

E. STUMPF, P. LEECH and L. CAHILL: A broadband model for $Hg_{1-X}Cd_XTe$ MSM detectors 188

NUMBER 2

ASDAM '96

J. OSVALD and E. BURIAN: C–*V* dependence of inhomogeneous Schottky diodes 191

M. MARSO, M. HORSTMANN, H. HARDTDEGEN and P. KORDOŠ: Optoelectronic D.C. and R.F. behavior of InP/InGaAs based HEMTs 197

P. DIMITRAKIS, S. HATZANDROULIS, D. TSOUKALAS, J. STOIMENOS, and G. J. PAPAIOANNOU: Electrical characterisation of silicon wafer bonding structures 201

T. LALINSKÝ, J. BREZA, P. VOGRINČIČ, J. OSVALD, Ž. MOZOLOVÁ, J. SIŠOLÁK: Iridium-based multilayer contacts to *n*-GaAs 205

E. GOMBIA, R. MOSCA, D. PAL, A. MOTTA, L. NASI, A. BOSACCHI and S. FRANCHI: Deep level investigation on n-$In_{0.35}Ga_{0.65}As$/GaAs structures 211

S. A. MALYSHEV and N. V. BABUSHKINA: Composition and charge properties of Al/Ti–SiO_2–InP (100) structures 217

Zs. J. Horváth, M. Ádám, Cs. Dücsö, I. Pintér, Vo Van Tuyeni, Bársony, E. Gombia, R. Mosca and Zs. Makaró: Electrical characterisation of Al/n-Si/p-Si Schottky junctions prepared by plasma immersion implantation 221

J. Ivančo, Zs. J. Horváth, Vo Van Tuyen, C. Coluzza, J. Almeida, A. Terrasi, B. Pécz, Gy. Vincze and G. Margaritondo: Electrical characterization of $Au/SiO_x/n$-GaAs junctions 229

D. Donoval, V. Drobny and M. Luza: A contribution to the analysis of the I–V characteristics of Schottky structures 235

J. Mudroň, J. Müllerová and F. Dubecký: Optical properties of semi-insulating GaAs irradiated by neutrons 243

V. Cambel, P. Eliáš, R. Kúdela, B. Olejníková, J. Novák, M. Ďurica, M. Majoroš, J. Kvitkovič, Ž. Mozolová and P. Hudek: Preparation, characterisation and application of microscopic linear Hall probe arrays 247

G. Constantinidis, J. Kuzmic, K. Michelakis and K. Tsagaraki: Schottky contacts on CF_4/H_2 reactive ion etched β-SiC 253

A. E. Belyaev, S. A. Vitusevich, B. A. Glavin, R. V. Konakova, T. Figielski, W. Dobrovolski, A. Makosa and L. N. Kravchenko: Magnetic field induced resonance in a double-barrier resonant tunneling diode 257

S. Hasenöhrl, M. Kučera, J. Novák, M. Bujdák, P. Eliáš and R. Kúdela: MOCVD growth of $In_xGa_{1-x}As/GaAs$ multiple quantum well and superlattice structures for optica 263

N. Arpatzanis, R. Vlastou, G. Konstantinidis, W. Assmann, M. Papastamatiou, E. Gazis and G. J. Papaioannou: Ion irradiation induced defects in epitaxial GaAs layers 277

NUMBER 3

Invited paper
F. Assad, K. Banoo and M. Lundstrom: The drift-diffusion equation revisited 283

H.-E. Nilsson, T. Andersson, U. Sannemo and C. S. Petersson: An investigation of the blocking characteristics of the permeable base transistor 297

T. Dimitrova and E. Atanassova: Electrical and transport properties of RF sputtered Ta_2O_5 on Si 307

S. M. Gladstone and D. J. Dumin: Thickness dependence of thin oxide wearout 317

M. Borgarino, C. Voltolini, F. Fantini, J. Tasselli and A. Marty: Experimental evaluation of the minimum detectable outdiffusion length for AlGaAs/GaAs HBTs 325

H. Kosina and G. Kaiblinger-grujin: Ionized-Impurity Scattering of Majority Electrons in Silicon 331

A. Nascetti and F. Palma: A new analytical model for the amorphous silicon bulk barrier phototransistor 339

D.-G. BAE and S.-K. CHUNG: An Analytic Model of Planar Junctions with Multiple Floating Field Limiting Rings 349

P. MA, L. ZHANG, B. ZHAO and Y. WANG: Effect of grain boundary on minority carrier injection into polysilicon emitter 355

L. T. HUNG and W. S. LOUR: Characteristics of doping- and composition-graded doped channel HFET's with AlGaAs gate insulator 363

TAN CHANGHUA, XU MINGZHEN and HE YANDONG: Application of the proportional difference time analysis to study carrier generation rate in MOS structures 369

Y. BEGGAH, D. E. MEKKI, N. TABET and R. J. TARENTO: Calculation of the electron beam induced current at the interface of a Schottky contact in the presence of Shockley–Read–Hall recombination 379

W. I. KHAN, A. Y. M. AL-QENAIE and M. ISHAQUE: Numerical and experimental results for GaAs diodes confirming the Two Roots Model 385

M. H. JUANG, H. C. CHENG, W. K. LAI and C. J. YANG: Reduction of boron penetration for a p^+ polycide gate by using cobalt silicides as a boron diffusion source 389

T. YAMAZAKI and B. J. BALIGA: Analysis and suppression of latch-up during IGBT mode of DG-BRT operation 393

B. YU, K. IMAI and C. HU: Characterization of Global Inversion Layer in Thin-Gate-Oxide Deep-Submicron p-MOSFETs 401

C. H. WU, P. S. ZORY and M. A. EMANUEL: Abnormal lasing behaviors in thin *p*-clad InGaAs quantum well lasers 405

S.-L. JANG, H.-K. CHEN and K.-M. CHANG: Low-frequency noise characteristics of hot carrier-stressed buried-channel pMOSFETs 411

J. C. CAO and X. L. LEI: Investigation of impact ionization using the balance-equation approach for multivalley nonparabolic semiconductors 419

K.-S. CHANG-LIAO and P.-J. TZENG: Boron penetration reduction and FN stress hardness improvement in MOS capacitors by gate oxides rapid-thermal-annealed in N_2O 425

E. BORCHI, M. BRUZZI, S. PIROLLO and S. SCIORTINO: Current–temperature analysis of DC glow discharge CVD diamond films 429

N. G. WRIGHT, C. M. JOHNSON and A. G. O'NEILL: Sulphur based surface passivation for high voltage GaAs Schottky diodes 437

N. MATSUO, H. FUJIWARA and T. MIYOSHI: Electron tunneling through thin oxide–nitride–oxide films under electric field concentration 441

S. TAKAMIYA, M. HARAYAMA, T. SUGIMURA, T. TSUZUKU, T. TAYA, K. IIYAMA and S. HASHIMOTO: Reverse currents of Schottky gates of III–V MESFET/HEMTs: field emission and tunnel currents 447

Notes

C.-Y. HUANG and M.-J. CHEN: A model for low-temperature operation of minority-carrier well-type guard rings in epiaxial CMOS structures 453

TIAN TONG, LUO JINSHENG and LIN JINTING: Physics based analytic model for C–V characteristics of GaAs planar Schottky diodes 458

K. SUZUKI, R. SUDO and T. FEUDEL: Simple analytical expression for dose dependent ion-implanted Sb profiles using a joined half Gaussian function and one with exponential tail 463

Letters to the Editor

C. D. BRANDLE, F. REN, J. W. LEE and S. J. PEARTON: Dry and wet etching of $ScAlMgO_4$ 467

W. MÖNCH: Comment on "A study on barrier height in Au–$Al_xGa_{1-x}N$ Schottky diodes in the range $0 < x < 0.2$" by M. R. H. Khan, H. Nakayama, T. Detchprohm, K. Hiramatsu and N. Sawaki 470

NUMBER 4

M. AHMAD, T. GANGULI, S. MAJOR, N. R. ROY and B. M. ARORA: Variations in the Cox and Strack curve for non-zero metal resistance 473

P. COVA, SINGH A, MEDINA A. and R. A. MASUT: Effect of doping on the forward current-transport mechanisms in a metal–insulator–semiconductor contact to InP:Zn grown by metal organic vapor phase 477

G. A. ARMSTRONG and C. K. MAITI: Strained-Si channel heterojunction p-MOSFETs 487

X. BAIE and J. P. COLINGE: Two-dimensional confinement effects in gate-all-around (GAA) MOSFETs 499

D. K. SCHRODER, M. S. FUNG, R. L. VERKUIL, S. PANDEY, W. H. HOWLAND and M. KLEEFSTRA: Corona-oxide-semiconductor generation lifetime characterization 505

K. W. SU and J. B. KUO: Analytical capacitance model for submicron accumulation-mode SOI MOS devices 513

D. FLORES, J. FERNÁNDEZ, X. JORDÀ, J. REBOLLO, P. GODIGNON, S. HIDALGO and J. MILLÁN: The dual MOS-gated thyristor (DMGT) structure 523

M. SOTOODEH, A. H. KHALID and A. A. REZAZADEH: DC characterisation of HBTs using the observed kink effect on the base current 531

B. BA and M. KANE: Determination of polysilicon solar cell parameters using electrical short-circuit current decay method 541

H. TSUKAMOTO and T. SUZUKI: Selective laser annealing (SELA) used in the fabrication of sub-0.1μm MOSFETs 547

W.-J. CHO, E.-S. KIM, J.-J. KANG, K.-G. RHA and H.-S. KIM: Annealing effects of polycrystalline silicon gate on electrical properties of thin gate oxide 557

R. F. Reyna, A. Martí and J. C. Maroto: Determination of the origin of the series resistance through electroluminescence measurements of GaAs and $Al_xGa_{1-x}As$ solar cells and LEDs 567

M. Mehrotra and B. J. Baliga: Reverse blocking lateral MOS-gated switches for ac power control applications 573

Y. L. Le Coz, H. J. Greub and R. B. Iverson: Performance of random-walk capacitance extractors for IC interconnects: A numerical study 581

L. S. Tan, M. S. Leong and S. C. Choo: Theory for the determination of backside contact resistance of semiconductor wafers from surface potential measurements 589

I. M. Dharmadasa, C. J. Blomfield, C. G. Scott, R. Coratger, F. Ajustron and J. Beauvillain: Metal/n-CdTe interfaces: A study of electrical contacts by deep level transient spectroscopy and ballistic electron emission microscopy 595

S.-H. Song and D. M. Kim: A novel analytical model for short channel heterostructure field effect transistors 605

I. Policicchio, A. Pecora, R. Carluccio, L. Mariucci, G. Fortunato, F. Plais and D. Pribat: Determination of excess current due to impact ionization in polycrystalline silicon thin-film transistors 613

P. T. Lai, J. P. Xu, L. Huang, H. B. Lo and Y. C. Cheng: Suppression of hot-carrier-induced degradation in *n*-mosfets at low temperatures by N_2O-nitridation of gate oxide 619

A. Y. Polyakov, N. B. Smirnov, A. V. Govorkov, M. G. Mil'vidskii, J. M. Redwing, M. Shin, M. Skowronski, D. W. Greve and R. G. Wilson: Properties of Si donors and persistent photoconductivity in AlGaN 627

A. Y. Polyakov, A. V. Govorkov, N. B. Smirnov, M. G. Mil'vidskii, J. M. Redwing, M. Shin, M. Skowronski and D. W. Greve: Scanning electron microscope studies of AlGaN films grown by organometallic vapor phase epitaxy 637

C. Jungemann, B. Meinerzhagen, S. Decker, S. Keith, S. Yamaguchi and H. Goto: Is physically sound and predictive modeling of NMOS substrate currents possible? 647

P. T. Landsberg and T. Markvart: The Carnot factor in solar-cell theory 657

Note

L. Escotte, J. G. Tartarin, R. Plana and J. Graffeuil: High-frequency noise in heterojunction bipolar transistors 661

Y. Sato, H. Miyagi, H. Takano, S. Taguchi, T. Matsumoto and K. Sato: Transit-time-limited shot noise due to carrier generation in semiconductors: a new approach 664

S. S. Winterton and N. G. Tarr: Base transit time minimization with fixed base dopant dose 667

S. V. Walstra and C.-T. Sah: Extension of the McNutt-Sah method for measuring thin oxide thicknesses of MOS devices 671

E. BORCHI, M. BRUZZI, S. PIROLLO and S. SCIORTINO: High temperature thermally stimulated currents analysis of CVD diamond films 674

NUMBER 5

Review
Q. Z. LIU and S. S. LAU: A review of the metal–GaN contact technology 677

W. ZHOU, S. SHEU, J. J. LIOU and C. I. HUANG: A multi-emitter finger AlGaAs/GaAs HBT model including the effects of two-dimensional temperature distribution on emitter fingers 693

C. SMITHHISLER, K.-H. KIM, J. COLVIN, Y.-C. HO and O. KENNETH: Design considerations for integrated inductors in conventional CMOS technologies 699

C.-Y. CHEN and J. KANICK: Origin of series resistances in a-Si:H TFTs 705

R. GHAYOUR and A. BAKHTAZAD: Trade-off between speed and efficiency of silicon metal–*i*–*n* photodetectors 715

S-L. JANG and S-S. LIU: An analytical surrounding gate MOSFET model 721

A. CERDEIRA and M. ESTRADA: New method for the determination of carrier lifetime in diodes using a sinusoidal current pulse 727

J. W. LEE, C. R. ABERNATHY, S. J. PEARTON, F. REN, C. CONSTANTINE, C. BARRATT and R. J. SHUL: Comparison of dry etch damage in GaAs/AlGaAs heterojunction bipolar transistors exposed to ECR and ICP Ar plasmas 733

J. J. WANG, E. S. LAMBERS, S. J. PEARTON, M. OSTLING, C.-M. ZETTERLING, J. M. GROW, and F. REN: High rate etching of SiC and SiCN in NF_3 inductively coupled plasmas ... 743

F. REN, R. F. KOPF, J. M. KUO, J. W. LEE, S. J. PEARTON, R. J. SHUL, C. CONSTANTINE and D. JOHNSON: Effect of high density H_2 plasmas on InGaP/GaAs and AlGaAs/GaAs HEMTs 749

D. M. BROWN, E. DOWNEY, J. KRETCHMER, G. MICHON, E. SHU and D. SCHNEIDER: SiC flame sensors for gas turbine control systems 755

R. SORGE: Non-quasistatic simultaneous HF/LF-CV measurements for rapid characterization of MOS structures 761

N. THAPAR and B. J. BALIGA: An experimental evaluation of the on-state performance of trench IGBT designs 771

A. PASKALEVA and E. ATANASSOVA: Damage in thin SiO_2–Si structures induced by RIE-mode nitrogen and oxygen plasma 777

B. YOU and A. Q. HUANG: Theoretical limitation of the RBSOA of MOS-controlled thyristors 785

M. MADHESWARAN and P. CHAKRABARTI: Frequency dependent characteristics of an optically controlled InP MIS capacitor 795

D. R. WOLTERS and A. T. A. ZEGERS-VAN DUIJNHOVEN: Variation of the exponent of flicker noise in MOSFETs 803

D. ABBOTT, B. DAVIS, B. GONZALEZ, A. HERNANDEZ and K. ESHRAGHIAN: Modelling of low power cw laser beam heating effects on a GaAs substrate 809

C. C. CHANG and S. J. LII: Fabrication of ZnSe/Si *P–I–N* photodiode by IR furnace chemical vapor deposition 817

C.-Y. HUANG and M.-J. CHEN: Cell supply voltage effect on escape current of guard rings in epitaxial CMOS technology 823

A. Y. POLYAKOV, N. B. SMIRNOV, A. V. GOVORKOV and J. M. REDWING: Deep traps in high resistivity AlGaN films 831

H. TANG, W. KIM, A. BOTCHKAREV, G. POPOVICI, F. HAMDANI and H. MORKOÇ: Analysis of carrier mobility and concentration in Si-doped GaN grown by reactive molecular beam epitaxy 839

R. ANHOLT: FET and HEMT thermal impedances 849

R. ANHOLT: HBT thermal element design using an electro/thermal simulator 857

R. ANHOLT: Thermal impedances of multi-finger heterojunction bipolar transistors 865

C.-T. LEE, K.-L. JAW and C.-D. TSAI: Thermal stability of Ti/Pt/Au ohmic contacts on InAs/graded InGaAs layers 871

C. CALI, M. MOSCA and G. TARGIA: Deposition of indium tin oxide films by laser ablation: Processing and characterization 877

Erratum 881

NUMBER 6

V. YU. YEROKHOV and I. I. MELNYK: Influence of external bias on photoelectric properties of silicon MIS/IL structures 883

S.-L. JANG, H.-K. CHEN and M.-C. HU: Low-frequency $1/f$ noise model for short-channel LDD MOSFETs 891

L. K. J. VANDAMME, D. SODINI and Z. GINGL: On the anomalous behavior of the relative amplitude of RTS noise 901

A. K. DUTTA and K. KASAHARA: Polarization control in vertical-cavity surface emitting laser using uniaxial stress 907

H. SHIN, G. PARK and C. HU: Plasma charging damage during over-etch time of aluminum 911

S. BERBERICH, P. GODIGNON, M. L. LOCATELLI, J. MILLÁN and H. L. HARTNAGEL: High frequency *CV* measurements of SiC MOS capacitors 915

M. K. MAZUMDER, A. TERAMOTO, M. SEKINE, S. KAWAZU and H. KOYAMA: Improved reliability of NO treated NH_3-nitrided oxide with regard to O_2 annealing 921

F. FERNÁNDEZ-GUTIÉRREZ, O. SÁNCHEZ GARRIDO, M. HERNÁNDEZ-VÉLEZ, R. M. BUENO and J. M. MARTÍNEZ-DUART: Dielectric relaxation of amorphous and textured MIS-capacitor thin films 925

J. LUTZ, W. SÜDKAMP, and W. GERLACH: IMPATT oscillations in fast recovery diodes due to temporarily charged radiation-induced deep levels 931

G. GARCIA-BELMONTE, J. BISQUERT and V. CASELLES: The small signal AC impedance of a short *p–n* junction diode 939

S. PANDEY and S. KAL: A simple approach to the capacitance technique for determination of interface state density of a metal–semiconductor contact 943

M. Y. A. YOUSIF, O. NUR, O. CHRETIEN, Y. FU and M. WILLANDER: Threshold voltage and charge control considerations in double quantum well $Si/Si_{1-x}Ge_x$ p-type MOSFETs 951

S. KOLACHINA, J. C. H. PHANG and D. S. H. CHAN: Single contact electron beam induced currents (SCEBIC) in semiconductor junctions. Part I: Quantitative verification of SCEBIC model 957

M. J. MALACHOWSKI: Impact of energy band-gap grading on responsivity of an $Al_xGa_{1-x}N$ ultraviolet p–n detector 963

S.-C. WONG, P. S. LIU, J.-W. RU and S.-T. LIN: Interconnection capacitance models for VLSI circuits 969

H. X. YUAN, D. GRUBISIC and T. T. S. WONG: Electrical characterization of anodically grown native oxide on GaInSb 979

O. SEN, C. BESIKCI and B. TANATAR: Effects of screening on the two-dimensional electron transport properties in modulation doped heterostructures 987

ZENG QINGKE, ZENG XIANFU, LAU CHANGJUN and LIU SHONGHAO: Manufacture of AlGaInP visible light-emitting diodes by MOCVD & VPE 993

W.-K. SHIH, E. X. WANG, S. JALLEPALLI, F. LEON, C. M. MAZIAR and A. F. TASCH JR.: Modeling gate leakage current in nMOS structures due to tunneling through an ultra-thin oxide 993

M.-D. KER, C.-Y. WU, C.-C. HUANG and T.-Y. CHEN: Multiple-cell square-type layout design for output transistors in submicron CMOS technology to save silicon area 1007

J. W. LEE, K. D. MACKENZIE, D. JOHNSON, R. J. SHUL, S. J. PEARTON, C. R. ABERNATHY and F. REN: Device degradation during low temperature ECR-CVD. Part I: GaAs MESFETs 1015

J. W. LEE, K. D. MACKENZIE, D. JOHNSON, R. J. SHUL, S. J. PEARTON, C. R. ABERNATHY and F. REN: Device degradation during low temperature ECR-CVD. Part II: GaAs/AlGaAs HBTs 1021

J. W. LEE, K. D. MACKENZIE, D. JOHNSON, R. J. SHUL, S. J. PEARTON, C. R. ABERNATHY and F. REN: Device degradation during low temperature ECR-CVD. Part III: GaAs/InGaP HEMTs 1027

J. W. LEE, K. D. MACKENZIE, D. JOHNSON, R. J. SHUL, S. J. PEARTON and F. REN: Low temperature ECR-CVD of SiN_X for III-V device passivation 1031

A. CUTOLO, S. DALIENTO, A. SANSEVERINO, G. F. VITALE and L. ZENI: An optical technique to measure the bulk lifetime and the surface recombination velocity in silicon samples based on a laser diode probe system 1035

A. TEVKE, C. BESIKCI, C. VAN HOOF and G. BORGHS: InSb infrared *p–i–n* photodetectors grown on GaAs coated Si substrates by molecular beam epitaxy 1039

Y. C. WANG, J. M. KUO, F. REN, J. R. LOTHIAN and W. E. MAYO: Schottky barrier heights of $In_{0.5}(Al_xGa_{1-x})_{0.5}P \leq$ 1045

N. FURUHATA, M. FUJII, S. ASAI, T. MAEDA and Y. OHNO: Performance of a p-channel heterojunction fet with p^+-GaAs selectively grown contact layers for GaAs complementary ICs 1049

Letter

G. F. NIU, J. D. CRESSLER and S. J. MATHEW: Explicit formulation of a series resistance correction procedure for MOSFET parameter extraction and its accuracy analysis 1057

NUMBERS 7/8

NPE 97

J. R. TUCKER and T.-C. SHEN: Prospects for atomically ordered device structures based on STM lithography 1061

S. SASA, T. IKEDA, A. KAJIUCHI and M. INOUE: FM fabrication and characterization of InAs/AlGaSb nanostructures 1069

H. FUKUTOME, K. TAKANO, S. HASEGAWA, H. NAKASHIMA, T. AOYAMA and H. ARIMOTO: Direct imaging of nano *pn* junctions and their bulk electronic properties with the use of scanning tunneling microscopy 1075

K. YAMANAKA, S. ISHIDA, K. SUZUKI, H. HAYASHI, H. WATABE and Y. ARAKAWA: Light emission from individual InAs/GaAs self-assembled quantum dots excited by tunneling current injection 1079

Y. TODA, S. SHINOMORI, K. SUZUKI and Y. ARAKAWA: Near-field optical spectroscopy of self-assembled quantum dots: NSOM apparatus for measuring the features of single dots 1083

R. AKIS, P. VASILOPOULOS and P. DEBRAY: Transmission antiresonances and novel bound states in cross structures at weak magnetic fields 1087

S. G. DEN HARTOG, S. J. VAN DER MOLEN, B. J. VAN WEES, T. M. KLAPWIJK and G. BORGHS: Magnetic field sensitivity of the Coulomb anomaly in the conductance of a phase-coherent disordered 2-dimensional electron gas 1093

A. F. MORPURGO, J. P. HEIDA, B. J. VAN WEES, T. M. KLAPWIJK and G. BORGHS: Experiments on Aharonov–Bohm effect under the influence of uniform spin orbit interaction: Possible observation of Berry's phase in electronic transport 1099

A. KRISTENSEN, C. B. SØRENSEN, P. E. LINDELOF, J. BO JENSEN, J. NYGÅRD, M. ZAFFALON, F. BEUSCHER, M. MICHEL and A. FORCHEL: Quantum point contacts formed in GaAs/GaAlAs heterostructures by shallow etching and overgrowth 1103

A. NATORI, Y. TAKASE and K. NATORI: Magnetocondactance of a mesoscopic rectangular loop 1109

K. HIEKE, J.-O. WESSTRÖM, T. PALM, B. STÅLNACKE and B. STOLTZ: Ballistic transport and gate control mechanism in deeply etched electron-waveguide based devices..... 1115

M. KATO, A. ENDO, S. KATSUMOTO and Y. IYE: Control of magnetic field modulation on two-dimensional electron gas at the GaAs/AlGaAs heterointerface by parallel magnetic field 1121

Y. OCHIAI, K. YAMAMOTO, J. P. BIRD, K. ISHIBASHI, Y. AOYAGI, T. SUGANO, R. AKIS and D. K FERRY: Wavefunction scarring and classical commensurability in corrugated quantum wires 1125

S. KAWABATA and K. NAKAMURA: $h/2e$ Oscillations and negative magneto-resistance in ballistic chaotic Aharonov–Bohm billiards 1131

J. HERFORT, D. G. AUSTING and Y. HIRAYAMA: Electron transport in MIS-like GaAs/$Al_xGa_{1-x}As$ heterostructures with nanostructered gates 1135

S. URYU and T. ANDO: Aharonov–Bohm type oscillation in antidot lattices 1141

S. ISHIZAKA and T. ANDO: Commensurability peak in square and triangular antidot arrays 1147

K. YAMANAKA and K. HIRAKAWA: Far-infrared photoresponse of the AlGaAs/GaAs low-dimensional electron systems constricted by split-gates..... 1151

T. MACHIDA, H. HIRAI, S. KOMIYAMA and Y. SHIRAKI: Geometry-dependent transition between integer quantum-Hall states 1155

N. GRIFFIN, D. D. ARNONE, D. J. PAUL, M. PEPPER, D. J. ROBBINS and A. C. CHURCHILL: Far-infrared cyclotron resonance study of the effect of strain and localisation in Si/SiGe two dimensional electron gases..... 1159

T. SANUKI, S. TAKAOKA, K. OTO, K. MURASE and K. GAMO: Breakdown of quantum Hall effect in two dimensional electron system with antidot arrays..... 1165

J. L. OSBORNE, A. J. SHIELDS, M. Y. SIMMONS, N. R. COOPER, D. A. RITCHIE and M. PEPPER: Excitons, spin-waves and Skyrmions in the optical spectra of a two dimensional electron gas 1169

K. ASANO and T. ANDO: Breakdown of single mode approximation in quantum Hall cyclotron resonance 1175

M. ANDO, A. ENDO, S. KATSUMOTO and Y. IYE: Detection of fractional edge channel by quantum point contacts 1179

Y. Ohno, A. Sawada, Z. F. Ezawa, H. Ohno, Y. Horikoshi, S. Kishimoto, F. Matsukura, M. Yasumoto and A. Urayama: $\nu = 1$ bilayer quantum Hall state at arbitrary electron distribution in a double quantum well 1183

S. Kishimoto, Y. Ohno, F. Matsukura, H. Sakaki and H. Ohno: Etched-backgate field-effect transistor structure for magnetotunneling study of low-dimensional electron systems 1187

K. Oto, H. Ishida, S. Takaoka and K. Murase: Magneto capacitance in quantum Hall regime with external dc current 1191

T. P. Marlow, D. D. Arnone, C. L. Foden, E. H. Linfield, D. A. Ritchie and M. Pepper: The far-infrared magneto-optical response of strongly coupled 2DEGs near the quantum and semi-classical limits 1195

N. T. Bagraev, E. I. Chaikina, W. Gehlhoff, L. E. Klyachkin, I. I. Markov and A. M. Malyarenko: Infrared induced emission from silicon quantum wires 1199

M. Ogawa, M. Ito, S. Fukushima and T. Miyoshi: Anisotropic optical properties of arbitrarily oriented quantum wires with arbitrary cross-sections 1205

K. Komori, F. Sasaki, X.-L. Wang, M. Ogura and H. Matsuhata: Barrier thickness dependence of optical properties in GaAs coupled quantum wires 1211

V. Voliotis, J. Bellessa, R. Grousson, X. L. Wang, M. Ogura and H. Matsuhata: Microphotoluminescence studies of high quality single quantum wires 1217

M. Yamauchi, Y. Nakamura and H. Sakaki: Edge quantum wire structures with novel doping profiles and their electronic states 1223

K. Kumakura, J. Motohisa and T. Fukui: Transport characterization of GaAs quantum dots connected with quantum wires fabricated by selective area metalorganic vapor phase epitaxy 1227

S. Hara, J. Motohisa and T. Fukui: Optical characterization and laser operation of InGaAs quantum wires on GaAs multiatomic steps 1233

R. Rinaldi, A. Passaseo, M. De Giorgi, C. Turco, M. DeVittorio, D. Cannoletta and R. Cingolani Electro–optic properties of InGaAs/GaAs quantum wires with V-shaped profile 1239

A. C. Maciel, J. Kim, J. F. Ryan, A. Schwarz, Th. Schäpers, Ch. Dieker, H. Hardtdegen and H. Lüth: Electron states, magneto-transport and carrier dynamics in modulation-doped V-groove quantum wires 1245

Ph. Lelong, O. Heller and G. Bastard: Coulomb interactions in small InAs quantum dots 1251

J. Haruyama, D. N. Davydov, D. Routkevitch, D. Ellis, B. W. Statt, M. Moskovits and J. M Xu: Coulomb blockade in nano-junction array fabricated by nonlithographic method 1257

Y. Oka, K. Yanata, H. Okamoto, M. Takahashi and J. Shen: Giant magneto-optical effects in diluted magnetic semiconductor nanostructures 1267

N. Tsukada, M. Gotoda, T. Isu, M. Nunoshita and T. Nishino: Rotational transfer and dynamical bunching of an electron in three coupled quantum dots induced by a circularly polarized electric field 1273

J. P. Bird, A. P. Micolich, D. K. Ferry, R. Akis, Y. Ochiai, Y. Aoyagi and T. Sugano: The influence of environmental coupling on phase breaking in open quantum dots 1281

P. Radojkovic, M. Schwartzkopf, T. Gabriel and E. Hartmann: Metallic nanoparticles for compact nanostructure fabrication and observation of single-electron phenomena at room temperature 1287

P. M. Martin, A. E. Belyaev, L. Eaves, P. C. Main, F. W. Sheard, T. Ihn and M. Henini: Capacitance–voltage studies of the electrostatic profile of single barrier GaAs/AlAs/GaAs structures containing self assembled quantum dots 1293

R. Akis and D. K. Ferry: The role of periodic orbits in coupled, open, ballistic quantum dots 1297

T. Suzuki, Y. Haga, K. Nomoto, K. Taira and I. Hase: Tunneling current through self-assembled InAs quantum dots embedded in symmetric and asymmetric AlGaAs barriers 1303

V. M. Fomin, E. P. Pokatilov, J. T. Devreese, S. N. Klimin, V. N. Gladilin and S. N. Balaban: Multiphonon photoluminescence and Raman scattering in semiconductor quantum dots 1309

Y. Kanemitsu and S. Okamoto: Optical properties of hydrogen terminated silicon nanocrystals 1315

T. Okuno, H.-W. Ren, M. Sugisaki, K. Nishi, S. Sugou and Y. Masumoto: Time-resolved luminescence study of InP quantum dots in GaInP matrix 1319

M. Sugisaki, H.-W. Ren, S. Sugou, K. Nishi and Y. Masumoto: Sharp photoluminescence lines of InAs quantum dot embedded in GaAs mesa 1325

T.-E. Nee, N.-T. Yeh, J.-I. Chyi and C.-T. Lee: Matrix-dependent structural and photoluminescence properties of $In_{0.5}Ga_{0.5}As$ quantum dots grown by molecular beam epitaxy 1331

J. Motohisa, J. J. Baumberg, A. P. Heberle and J. Allam: Anomalous excitation intensity dependence of photoluminescence from InAs self-assembled quantum dots 1335

Y. Sakuma, Y. Awano, T. Futatsugi, N. Yokoyama, K. Uchida and N. Miura: Magneto-photoluminescence study of quantum dots formed on tetrahedral-shaped recesses 1341

K. Fujii, T. Yoshizawa, T. Ohyama, K. Oto, S. Takaoka, K. Murase and K. Gamo: Time resolved far-infrared magneto-optical absorption of a quantum dot array 1349

G. L. Snider, A. O. Orlov, I. Amlani, G. H. Bernstein, C. S. Lent, J. L. Merz, and W. Porod: A functional cell for quantum-dot cellular automata 1355

S. Adachi and Y. Isawa: Cell design and dynamics of quantum cellular automata 1361

Y. FUNABASHI, K. OHTSUBO, M. ETO and K. KAWAMURA: Dephasing processes in transport through two-level quantum dot 1367

M. ETO: Numerical studies of transport properties through artificial atoms and molecules 1373

H. AKERA: Aharonov–Bohm effect in the Coulomb-blockade regime 1379

M. SHIN, S. LEE, K. W. PARK and E.-H. LEE: Charge solitons in closed two-dimensional tunnel junction arrays 1385

S. YAMADA, T. KIKUTANI, N. AOKI, C. HONG, M. TONA and H. HORI: Magnetic force microscopy analysis and quantum transport in ferromagnetic dot structure embedded in semiconductor quantum wires 1391

X. H. WANG and K. A. CHAO: Intrinsic limits of thermometers based on Coulomb charging effect in arrays of tunnel junctions 1397

F. WAKAYA, S. IWABUCHI, H. HIGURASHI, Y. NAGAOKA and K. GAMO: Single electron tunneling device controlled by environmental impedance modulation 1401

K. ONO, H. SHIMADA and Y. OOTUKA: Ferromagnetic single electron transistor 1407

Y. HANADA, N. ONO, H. FUJIKURA, H. HASEGAWA: Direct formation of InGaAs coupled quantum wire–dot structures by selective molecular beam epitaxy on InP patterned substrates 1413

H. OKADA, H. FUJIKURA, T. HASHIZUME and H. HASEGAWA: A novel wrap-gate-controlled single electron transistor formed on an InGaAs ridge quantum wire grown by selective MBE 1419

H. ISHIKURO and T. HIRAMOTO: Hopping transport in multiple-dot silicon single electron MOSFET 1425

S. SASAKI, K. TSUBAKI, S. TARUCHA, A. FUJIWARA and Y. TAKAHASHI: Observation of shot noise suppression at the peaks of Coulomb oscillations 1429

D. BIMBERG, N. N. LEDENTSOV, M. GRUNDMANN, F. HEINRICHSDORFF, V. M. USTINOV, P. S. KOP'EV, ZH. I. ALFEROV and J. A. LOTT: Edge and vertical cavity surface emitting InAs quantum dot lasers 1433

K. UJIHARA and I. TAKAHASHI: Spectrum of spontaneous emission observed outside a microcavity 1439

H. TSUCHIYA and T. MIYOSHI: Influence of phonon bottleneck on a quantum dot laser 1443

P. HARRISON and R. W. KELSALL: The relative importance of electron–electron and electron–phonon scattering in terahertz quantum cascade lasers 1449

S. G. DEN HARTOG, B. J. VAN WEES, YU. V. NAZAROV, T. M. KLAPWIJK and G. BORGHS: Giant Andreev backscattering and reentrant resistance in a 2-dimensional electron gas coupled to superconductors 1453

S. LEE, K. W. PARK, M. SHIN, E.-H. LEE and H. C. KWON: Magnetic field dependence of the resistance anomaly in superconducting mesoscopic aluminum structures 1459

H. SATO, S. KATSUMOTO and Y. IYE: Non-invasive measurements of mesoscopic superconductors by superconducting single electron transistors 1463

Y. MIYAMOTO, J. YOSHINAGA, H. TODA, T. ARAI, H. HONGO, T. HATTORI, A. KOKUBO and K. FURUYA: Sub-micron GaInAs/InP hot electron transistors by EBL process and size dependence of current gain 1467

Y. NAKAMURA and J. S. TSAI: Photon-assisted Cooper-pair tunneling in a superconducting single-electron transistor 1471

R. YAGI, S. KOBAYASHI and Y. OOTUKA: Effect of shunt resistor on superconductor–insulator transition in superconducting single small Josephson junction 1477

A. ORITO, A. FUKUSHIMA, S. KATSUMOTO and Y. IYE: Microstructured thin films and multilayers of superconductor and ferromagnetic metal 1481

A. NOGARET, L. EAVES, P. C. MAIN, M. HENINI, D. K. MAUDE, J. C. PORTAL, E. MOLINARI and S. P. BEAUMONT: Magneto-acoustic phonon antiresonances in Wannier–Stark superlattices 1489

E. SCHOMBURG, J. GRENZER, K. HOFBECK, T. BLOMEIER, S. WINNERL, S. BRANDL, A. A. IGNATOV, K. F. RENK, D. G. PAVEL'EV, YU. KOSCHURINOV, V. USTINOV, A. ZHUKOV, A. KOVSCH, S. IVANOV and P. S. KOP'EV: Millimeter wave generation with a quasi planar superlattice electronic device 1495

M. ANDO, M. NAKAYAMA, H. NISHIMURA, M. HOSODA, N. OHTANI, N. EGAMI and K. FUJIWARA: Wavefunction delocalization of strongly localized Stark-ladder states in a GaAs/AlAs superlattice 1499

M. MORIFUJI, S. K. WAH and C. HAMAGUCHI: Incoherent Bloch oscillation and delocalization of Stark-ladders due to impurity scattering 1505

N. OHTANI, N. EGAMI, K. FUJIWARA and H. T. GRAHN: Photocurrent self-oscillations in undoped GaAs/AlAs superlattices modulated by an external ac voltage 1509

Y. ISAWA, N. MATSUBARA and T. OHUTI: Shot noise in double barrier structures 1515

T. TSUCHIYA and S. KATAYAMA: A quantum Monte Carlo study on excitonic molecules in quantum wells 1523

M. OGAWA, T. SUGANO and T. MIYOSHI: Multiband quantum transport with Γ–X valley-mixing via evanescent states 1527

Y. B. LI, J. W. COCKBURN, I. A. LARKIN, J. P. DUCK, M. J. BIRKETT, M. S. SKOLNICK, M. HOPKINSON, R. GREY and G. HILL: Inversion of electron sub-band population in a GaAs/AlGaAs triple barrier tunnelling structure 1533

M. INADA, T. KIKUTANI, H. HORI and S. YAMADA: Fabrication of GaAs–Ge–GaAs lateral narrow junctions and low-temperature hole transport 1539

M. ASADA, K. OSADA and W. SAITOH: Theoretical analysis and fabrication of small area metal/insulator resonant tunneling diode integrated with patch antenna for terahertz photon assisted tunneling 1543

M. TSUTSUI, W. SAITOH, K. YAMAZAKI and M. ASADA: Proposal and analysis of coupled channel tunneling FET with new heterostructures on silicon 1547

M. YAMAGUCHI, R. SUGIMOTO and N. SAWAKI: Relocalization and mobility of electrons at the resonance of ground states in a coupled double quantum well structure 1553

M. KATSUNO, N. SAWAKI, T. SUZUKI and K. HARA: Scaling of the negative magneto-resistance in an Si atomic-layer-doped GaAs 1557

S. KATAYAMA and T. TSUCHIYA: Far-infrared emission spectra from hot two-dimensional plasma in heterojunctions 1561

K.-Y. JANG, Y. OKADA and M. KAWABE: Band-gap energy anomaly observed in AlGaAs grown by atomic hydrogen-assisted molecular beam epitaxy 1565

A. J. SHIELDS, J. L. OSBORNE, D. M. WHITTAKER, M. Y. SIMMONS, D. A. RITCHIE and M. PEPPER: Electron coupling effects on negatively charged excitons in GaAs double quantum wells 1569

T. KITADA, T. SAEKI, M. OHASHI, S. SHIMOMURA and S. HIYAMIZU: Extremely uniform $In_{0.08}Ga_{0.92}As$/GaAs superlattice grown on a (411)A GaAs substrate by molecular beam epitaxy 1575

M. HIGASHIWAKI, K. KUROYANAGI, K. FUJITA, N. EGAMI, S. SHIMOMURA and S. HIYAMIZU: Temperature dependence of exciton lifetimes in high-density GaAs/$(GaAs)_4(AlAs)_2$ quantum wires grown on (775)B-oriented GaAs substrates 1581

E. SCHÖLL and S. BOSE: Kinetic Monte Carlo simulation of the nucleation stage of the self-organized growth of quantum dots 1587

K. EBERL, O. G. SCHMIDT, S. SCHIEKER, N. Y. JIN-PHILLIPP and F. PHILLIPP: Formation and optical properties of carbon-induced Ge dots 1593

L. E. WERNERSSON, N. CARLSSON, B. GUSTAFSON, A. LITWIN, L. MONTELIUS, H. PETTERSSON, L. SAMUELSON and W. SEIFERT: Metal-semiconductor heterostructures in 3D for electron storage and vertical injection 1599

Y. INOUE, M. FUJII, S. HAYASHI and K. YAMAMOTO: Single electron tunneling through Ge nanocrystal fabricated by cosputtering method 1605

B.-R. SHIM, S. TORII, T. OTA, K. KOBAYASHI, K. MAEHASHI, S. HASEGAWA, K. INOUE and H. NAKASHIMA: Formation of InGaAs strained quantum wires on GaAs vicinal (110) substrates grown by molecular beam epitaxy 1609

K. AKAHANE, K. OKINO, Y. OKADA and M. KAWABE: Self-organized quantum dots grown on GaAs(311)B by atomic hydrogen-assisted molecular beam epitaxy 1613

T. MUKAIYAMA, K. SAITO, H. ISHIKURO, M. TAKAMIYA, T. SARAYA and T. HIRAMOTO: Fabrication of gate-all-around MOSFET by silicon anisotropic etching technique 1623

M. WATANABE, W. SAITOH, Y. AOKI and J. NISHIYAMA: Epitaxial growth of nanometer-thick CaF_2/CdF_2 heterostructures using partially ionized beam epitaxy 1627

NUMBER 9

S. NARASIMHA, G. CROTTY, A. ROHATGI and D. L. MEIER: Back surface field effects in the 17.3% efficient n-type dendritic web silicon solar cells 1631

D.-H. CHO, B. R. RYUM, T.-H. HAN, S.-M. LEE, S.-C. SHIN and C. LEE: A 42-GHz (f_{max}) SiGe-base HBT using reduced pressure CVD 1641

KYOUNG YANG, DAE-SEOK BYEON, MIN-KOO HAN, YEAM-IK CHOI: Optimum design of the field plate in the cylindrical p^+n junction: analytical approach 1651

P. D. ALTUKHOV, G. V. IVANOV and E. G. KUZMINOV: A selforganized double potential barrier in tunneling light emitting silicon MOS structures 1657

C. BOSE and C. K. SARKAR: Perturbation calculation of donor states in a spherical quantum dot 1661

J. P. XU, P. T. LAI, L. HUANG, O. H. B. LO and Y. C. CHENG: Greatly suppressed stress-induced shift of GIDL in N_2O-based n-MOSFET's 1665

K. SUZUKI, R. SUDO, Y. TADA, M. TOMOTANI, T. FEUDEL and W. FICHTNER: Comprehensive analytical expression for dose dependent ion-implanted impurity concentration profiles 1671

E. SIMOEN, S. DECOUTERE, C. CLAEYS and L. DEFERM: A global description of the base current $1/f$ noise of polysilicon emitter bipolar transistors before and after hot-carrier stress 1679

Y. Z. WANG, O. O. AWADELKARIM, J. G. COUILLARD and D. G. AST: The effects of substrates on the characteristics of polycrystalline silicon thin film transistors 1689

NARESH THAPAR and B. JAYANT BALIGA: Influence of the collector resistance on the performance of accumulation channel driven bipolar transistor 1697

X. A. CAO, J. A. CABALLERO, K. B. JUNG, J. W. LEE, S. ONISHI, J. A. CHILDRESS and S. J. PEARTON: Wet chemical etching of NiFe, NiFeCo and NiMnSb for magnetic device fabrication 1705

M. H. SONG, Y. H. LEE, T. S. HAHN, M. H. OH and K. H. YOON: Characteristics of ZnS:Mn thin film electroluminescent device using layered $BaTiO_3$ thin film structures 1711

HYUN CHO, S. M. DONOVAN, J. D. MACKENZIE, C. R. ABERNATHY, S. J. PEARTON, J. HAN, R. J. SHUL and J. W. LEE: High resolution pattern transfer in III-nitrides using BCl_3/Ar inductively coupled plasmas 1719

F. DHONDT, J. BARRETTE and P. A. ROLLAND: 3D Finite-difference electrothermal model for multifinger HBTs with thermal shunt and emitter ballast resistance 1723

D. L. PULFREY and B. D. NENER: Suggestions for the development of GaN-based photodiodes 1731

M. V. CHEREMISIN, M. I. DYAKONOV, M. S. SHUR, G. SAMSONIDZE: Influence of electron scattering on current instability in field effect transistors 1737

A. ORTIZ-CONDE, J. RODRÍGUEZ, F. J. GARCÍA SÁNCHEZ and J. J. LIOU: An improved definition for modeling the threshold voltage of MOSFETs 1743

R. J. WALTERS, M. A. XAPSOS, H. L. COTAL, S. R. MESSENGER, G. P. SUMMERS, P. R. SHARPS and M. L. TIMMONS: Radiation response and injection annealing of p^+n InGaP solar cells 1747

CARL-MIKAEL ZETTERLING, FANNY DAHLQUIST, NILS LUNDBERG, MIKAEL ÖSTLING, KURT ROTTNER and LENNART RAMBERG: Junction barrier Schottky diodes in 6H SiC 1757

Letters

Z. S. GRIBNIKOV, V. A. KOROBOV and V. V. MITIN: The tunnel diode as a thyristor emitter 1761

X. CHEN, B. LAVOREL, J. P. BOQUILLON, R. SAINT-LOUP and M. JANNIN: Optical rotary power at the resonance of the terbium $^7F_6 \rightarrow {}^5D_4$ line in Terbium Gallium Garnet 1765

NUMBER 10

T. K. CHIANG, Y. H. WANG and M. P. HOUNG: An analytical subthreshold current model for GaAs MESFET's 1767

J. C. BERNÈDE, S. TOUIHRI and G. SAFOULA: Electrical characteristics of an aluminium/amorphous selenium rectifying contact 1775

K. P. KUMAR and A. DASGUPTA: An analytical model for conduction and valence band edge profiles of bandgap graded and displaced heterojunctions 1779

A. K. DUTTA, K. HARA, K. KOBAYASHI and N. NAGASHIMA: Impedance, modulation response and equivalent-circuit of 650 nm surface emitting type light-emitting diode for POF data links 1787

L-S. LAI and Y-J. CHAN: Selectively dry-etched n^+-GaAs/AlGaAs/n-InGaAs doped-channel FETs by using a $CHF_3 + BCl_3$ plasma 1793

H. H. CHEN, S. H. TSENG and J. GONG: The temperature-dependence of threshold voltage of *N*-MOSFETs with nonuniform substrate doping 1799

C. JAKOBSON, I. BLOOM and Y. NEMIROVSKY: $1/f$ noise in CMOS transistors for analog applications from subthreshold to saturation 1807

F. G. DELLA CORTE, A. RUBINO and G. COCORULLO: Simulation study and realisation of an a-Si : H emitter on GaAs 1819

B. SZELAG and F. BALESTRA: Substrate bias dependence of the transconductance of deep submicron silicon *N*MOSFETs 1827

S. M. DONOVAN, J. D. MACKENZIE, C. R. ABERNATHY, S. J. PEARTON, F. REN, K. JONES and M. COLE: Thermal stability of OHMIC contacts to InN 1831

S. KASCHIEVA and I. YOURUKOV: Use of x-ray irradiation for annealing of radiation defects introduced by ion implantation in Si-SiO_2 structures 1835

B. De Salvo, G. Ghibaudo, G. Pananakakis and F. Mondon: SiO_2- and ONO-induced substrate current in silicon field-effect transistors 1839

M. Nawaz: The role of background concentration in AlInAs/GaInAs/InP based double heterojunction HEMTs 1849

A. Q. Huang: A unified view of the MOS-gated thyristors 1855

J-K. Sheu, Y-K. Su, S-J. Chang, G-C. Chi, K-B. Lin, C-C. Liu and C-C. Chiu: Electrical derivative characteristics of ion-implanted AlGaInP/GaInP multi-quantum well lasers 1867

S. C. Lin, J. B. Kuo, K. T. Huang and S. W. Sun: Analytical subthreshold current hump model for deep-submicron shallow-trench-isolated CMOS devices 1871

C-Y. Wu and H-M. Hou: An efficient transient modeling for 3-D multilevel interconnections in a stratified dielectric medium 1881

Letter

V. Iancu and M. L. Ciurea: Quantum confinement model for electric transport phenomena in fresh and stored photoluminescent porous silicon films 1893

NUMBER 11

K.-J. Kim, W.-K. Park, S.-G. Kim, K.-M. Lim, I.-G. Lim and O. Kim: A new charge pumping model considering bulk trap states in polysilicon thin film transistor 1897

M. B. Dutt, R. A. M. Nath, R. Kumar, M. N. Sen and V. Kumar: Co-implantation of Si and Be in SI GaAs for improved device performance 1905

T. Niwa, H. Toyoshima, K. Onda and N. Furuhata: Delay time analysis of AlGaAs/$In_xGa_{1-x}As$ ($0.15 \leq x \leq 0.45$) pseudomorphic HJFETs with InGaAs channel grown under suppressed in-surface segregation conditions 1911

S. A. Chhokra and R. S. Gupta: Analytical model for C–V characteristics and transient response of submicrometer non-self-aligned GaAs MESFET 1917

M. Amrani, H. Sehil, R. Menezla, Z. Benamara and F. Raoult: Study of lateral polysilicon PN diodes C–V characteristics: Modeling and experiments 1925

C. W. Kuo, Y. K. Su, H. H. Lin and C. Y. Tsia: Study and application of reactive ion etching on GaInP/InGaAs/GaInP quantum-well HEMTs 1933

G. Beister, J. Maege, G. Erbert and G. Tränkle: Non-radiative current in InGaAs/AlGaAs laser diodes as a measure of facet stability 1939

J. A. Diniz, J. W. Swart, K. B. Jung, J. Hong and S. J. Pearton: Inductively coupled plasma etching of in-based compound semiconductors in $CH_4/H_2/Ar$ 1947

M. H. Juang, M. J. Tsai, M. C. Hu and C. J. Yang: Formation of NiSi-silicided shallow p^+n junctions by BF_2^+ implantation into thin Ni or NiSi films on Si substrates and subsequent anneal 1953

A. Y. Polyakov, N. B. Smirnov, A. S. Usikov, A. V. Govorkov and B. V. Pushniy: Studies of the origin of the yellow luminescence band, the nature of nonradiative recombination and the origin of persistent photoconductivity in *n*-GaN films 1959

H.-J. Yoon, N.-J. Chung, M.-H. Choi, I.-S. Park and J. Jeong: Reliability performance for InGaAsP/InP laser diodes mounted on different sizes of heat blocks in TO packages 1969

N. Thapar and B. J. Baliga: Analytical model for the threshold voltage of Accumulation Channel MOS-Gate devices 1975

R. K. Jain and G. A. Landis: Transient response of gallium arsenide and silicon solar cells under laser pulse 1981

S. Saha: Effects of inversion layer quantization on channel profile engineering for nMOSFETs with 0.1 μm channel lengths 1985

Y. Wu, C. Tan, M. Xu, J. Wang and Y. Wang: Dispersive decay of positive oxide charge after high-field stress 1993

Y. Ohkura, S. Kimura, S. Ho and S. Ihara: Monte Carlo study of Si–*n*-MOSFETs including the quantization of carriers 1997

M.-D. Ker and C.-N. Wu: ESD protection for slew-rate-controlled output buffer in a 0.5 μm CMOS SRAM technology 2005

Y. B. Hahn, J. W. Lee, K. D. Mackenzie, D. Johnson, S. J. Pearton and F. Ren: Effect of deposition condition on wet and dry etch rates of device quality inductively coupled plasma-chemically vapor deposited SiN_x 2017

P. Ma, S.-L. Zhang and M. Östling: A new set of initial conditions for fast and accurate calculation of base transit time and collector current density in bipolar transistors 2023

S. M. K. Thiyagarajan and A. F. J. Levi: Signal quality in digitally modulated scaled laser diodes 2027

L. Trabzon, O. O. Awadelkarim and J. Werking: The effects of interlayer dielectric deposition and processing on the reliability of *n*-channel transistors 2031

N. Shamir, D. Ritter and C. Cytermann: Beryllium doped InP/InGaAsP hetero-junction bipolar transistors 2039

M. H. Juang: A study of the DRAM process simplification by using blanket memory cell source/drain implantation 2047

J. P. Xu, P. T. Lai and Y. C. Cheng: A comparison between the interface properties of N_2O-nitrided and N_2O-grown oxides 2053

A. Kawano, K. Imanishi, T. Tomioka, T. Iwai, K. Ishii and Y. Yamaguchi: Electron injection effect on formation and decomposition of C–H complexes in C-doped GaAs base of H^+-implanted InGaP/GaAs HBTs 2057

J.-L. Lee, J. K. Mun and H. Kim: A new self-aligned and T-shaped gate technology for GaAs power MESFETs 2063

C. H. CHEN and M. J. DEEN: High frequency noise of MOSFETs. I. Modeling 2069

C. H. CHEN, M. J. DEEN, Z. X. YAN, M. SCHROTER and C. ENZ: High frequency noise of MOSFETs. II. Experiments 2083

E. BORCHI, M. BRUZZI, S. PIROLLO and S. SCIORTINO: Temperature and frequency dependence of the capacitance of heavily irradiated silicon diodes 2093

Letters

Z. L. WU, Y. M. GAO, S. J. LIANG and J. S. LUO: Analysis of the FP–JTE planar junction termination 2097

A. F. M. ANWAR and R. T. Webster: Energy bandgap of $Al_xGa_{1-x}As_{1-y}Sb_y$ and conduction band discontinuity of $Al_xGa_{1-x}As_{1-y}Sb_y$/InAs and $Al_xGa_{1-x}As_{1-y}Sb_y$/InGaAs heterostructures 2101

E. KAMEDA, T. MATSUDA, Y. EMURA and T. OHZONE: Fowler–Nordheim tunneling in MOS capacitors with Si-implanted SiO_2 2105

J. KIM and B. KIM: Geometrical parameters and lateral channel doping profile extraction in a vertical IGBT by C–V measurements 2113

NUMBER 12

Power Semiconductor Devices and Processes

Preface 2117

E. R. BROWN: Megawatt solid-state electronics 2119

M. S. SHUR: GaN based transistors for high power applications 2131

R. ZEHRINGER, A. STUCK and T. LANG: Material requirements for high voltage, high power IGBT devices 2139

J. C. ZOLPER: A review of junction field effect transistors for high-temperature and high-power electronics 2153

P. G. NEUDECK, W. HUANG and M. DUDLEY: Breakdown degradation associated with elementary screw dislocations in 4H-SiC p^+n junction rectifiers 2157

J. B. CASADY, A. K. AGARWAL, S. SESHADRI, R. R. SIERGIEJ, L. B. ROWLAND, M. F. MACMILLAN, D. C. SHERIDAN, P. A. SANGER and C. D. BRANDT: 4H-SiC power devices for use in power electronic motor control 2165

F. REN, C. R. ABERNATHY, J. D. MACKENZIE, B. P. GILA, S. J. PEARTON, M. HONG, M. A. MARCUS, M. J. SCHURMAN, A. G. BACA and R. J. SHUL: Demonstration of GaN MIS diodes by using AlN and $Ga_2O_3(Gd_2O_3)$ as dielectrics 2177

R. HICKMAN, J. M. VAN HOVE, P. P. CHOW, J. J. KLAASSEN, A. M. WOWCHACK and C. J. POLLEY: Uniformity and high temperature performance of X-band nitride power HEMTs fabricated from 2-inch epitaxy 2183

H.-J. SCHULZE and B. O. KOLBESEN: Influence of silicon crystal defects and contamination on the electrical behavior of power devices 2187

K. JAGANNADHAM: Multilayer diamond heat spreaders for electronic power devices 2199

LIANG-YU CHEN, GARY W. HUNTER, PHILIP G. NEUDECK and DAK KNIGHT: Surface and interface properties of PdCr/SiC Schottky diode gas sensor annealed at 425°C 2209

HUI JIN LOOI, LISA Y. S. PANG, JOHN S. FOORD and RICHARD B. JACKMAN: Hydrogen "doped" thin film diamond field effect transistors for high power applications 2215

J. E. YATER, A. SHIH and R. ABRAMS: Electronic properties of diamond for high-power device applications 2225

M. SADEGHI, A. JAUHIAINEN, B. LISS, E. Ö. SVEINBJÖRNSSON and O. ENGSTRÖM: High frequency capacitance measurements on metal–insulator–semiconductor structures in thermal non-equilibrium condition 2233

R. F. KOPF, R. A. HAMM, R. J. MALIK, R. W. RYAN, J. BURM, A. TATE, Y.-K. CHEN, G. GEORGIOU, D. V. LANG, M. GEVA and F. REN: Novel fabrication of C-doped base InGaAs/InP DHBT structures for high speed circuit applications 2239

EVGUENIY STEFANOV, GEORGES CHARITAT and LUIS BAILON: Design methodology and simulation tool for floating ring termination technique 2251

R. J. SHUL, G. A. VAWTER, C. G. WILLISON, M. M. BRIDGES, J. W. LEE, S. J. PEARTON and C. R. ABERNATHY: Comparison of plasma etch techniques for III–V nitrides 2259

R. J. SHUL, C. G. WILLISON, M. M. BRIDGES, J. HAN, J. W. LEE, S. J. PEARTON, C. R. ABERNATHY, J. D. MACKENZIE and S. M. DONOVAN: High-density plasma etch selectivity for the III–V nitrides 2269

HYUN CHO, C. B. VARTULI, C. R. ABERNATHY, S. M. DONOVAN, S. J. PEARTON, R. J. SHUL and J. HAN: Cl_2-based dry etching of the AlGaInN system in inductively coupled plasmas 2277

J. J. WANG, E. S. LAMBERS, S. J. PEARTON, M. OSTLING, C.-M. ZETTERLING, J. M. GROW, F. REN and R. J. SHUL: ICP etching of SiC 2283

Z. Z. BANDIĆ, E. C. PIQUETTE, P. M. BRIDGER, R. A. BEACH, T. F. KUECH and T. C. MCGILL: Nitride based high power devices: design and fabrication issues 2289

V. RAINERI, M. SAGGIO, F. FRISINA and E. RIMINI: Voids in silicon power devices 2295

A. PIRONDI, G. NICOLETTO, P. COVA, M. PASQUALETTI, M. PORTESINE and P. E. ZANI: Thermo-mechanical simulation of a multichip press-packed IGBT 2303

E. MARTÍN, J. JIMÉNEZ and M. CHAFAI: MicroRaman study of crystallographic defects in SiC crystals 2309

S. KERDILES, R. RIZK, A PÉREZ-RODRÍGUEZ, B. GARRIDO, O. GONZÁLEZ-VARONA, L. CALVO-BARRIO and J. R. MORANTE: Magnetron sputtering synthesis of silicon–carbon films: structural and optical characterization 2315

S. A. USTIN, C. LONG and W. HO: Supersonic jet epitaxy of silicon carbide on silicon using methylsilane 2321

C. JACOB, P. PIROUZ, H.-I. KUO and M. MEHREGANY: High temperature ohmic contacts to 3C–silicon carbide films 2329

M. FU, V. SARVEPALLI, R. K. SINGH, C. R. ABERNATHY, X. CAO, S. J. PEARTON and J. A. SEKHAR: A novel technique for RTP annealing of compound semiconductors 2335

Index for Volume 42 I